<110>   Aston University

<120>   Methods of Producing DNA and Protein Libraries

<130>   WO71488PPC

<140>   PCT/GB 03/002573
<141>   2003-06-13

<150>   GB0213816.2
<151>   2002-06-14

<160>   13

<170>   PatentIn version 3.1

<210>   1
<211>   52
<212>   DNA
<213>   Artificial sequence

<220>
<223>   consensus zinc finger gene fragment
<220>
<221>   misc_feature
<222>   (16)..(18)
<223>   n=any nucleotide

<220>
<221>   misc_feature

<222> (25)..(27)

<223> n=any nucleotide

<220>

<221> misc_feature

<222> (34)..(36)

<223> n=any nucleotide

<400> 1
ctgacttcga aatcannntc gctgnnnaat gttnnngtag tcgcatgctg ca   52

<210> 2

<211> 15

<212> DNA

<213> Artificial sequence

<220>

<223> PCR primer

<400> 2
gactgaagct ttagt   15

<210> 3

<211> 16

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer

<400> 3
gtcgctggtc tactac   16

<210> 4

<211> 18

<212> DNA

<213>   Artificial Sequence

<220>

<223>   partial complementary sequence to SEQ ID 1

<220>

<221>   misc_feature

<222>   (16)..(18)

<223>   nnn represents MAX codon (optimum codon usage
        for each amino acid in E. coli)

<400>   4
gactgaagct ttagtnnn   18

<210>   5

<211>   32

<212>   DNA

<213>   Artificial Sequence

<220>

<223>   complementary sequence to SEQ ID 3 and SEQ ID 6
        (partially)

<400>
catcagcgta cgacgtcagc gaccagatga tg   32

<210>   6

<211>   42

<212>   DNA

<213>   Artificial Sequence

<220>

<223>   consensus zinc finger gene fragment

<220>

<221>   misc_feature

<222>   (6)..(8)

<223>   n=any nucleotide

<220>

<221> misc_feature

<222> (15)..(17)

<223> n=any nucleotide

<220>

<221> misc_feature

<222> (24)..(26)

<223> n=any nucleotide

<400> 6
aatcannntc gctgnnnaat gttnnngtag tcgcatgctg ca   42

<210> 7

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer
<400> 7
atgaccatga ttacg   15

<210> 8

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> complementary sequence to SEQ ID 7 and SEQ ID 1
        (partially)
<400> 8
atgaccatga ttacgctatg ccatgactga   30

<210> 9

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> partial complementary sequence to SEQ ID 1

<220>

<221> misc_feature

<222> (10)..(12)

<223> nnn represents MAX codon (optimum codon usage for
       each amino acid in E. coli)

<400> 9
agctttagtn nn   12

<210> 10

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer

<400> 10
acttgagact gaagc   15

<210> 11

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer

<400> 11

gcatgctaga ctgcc   15

<210>   12

<211>   21

<212>   DNA

<213>   Artificial Sequence

<220>

<223>   complementary sequence to SEQ ID 11 and SEQ ID 13
        (partially)

<400>   12
catcagcgta cgatctgacg c   21

<210>   13

<211>   39

<212>   DNA

<213>   Artificial Sequence

<220>

<223>   consensus zinc finger gene fragment

<220>

<221>   misc_feature

<222>   (13)..(15)

<223>   n=any nucleotide

<220>

<221>   misc_feature

<222>   (22)..(24)

<223>   n=any nucleotide

<220>

<221>   misc_feature

<222>   (31)..(33)

<223>   n=any nucleotide

<400> 13
acttcgaaat cannntcgct gnnnaatgtt nnngtagtc   39